Hey Maintainer (and user)

Exercise your empathy



About me



Jarek Potiuk

Independent Open-Source Contributor and Advisor Airflow Committer & PMC member Twitter: @jarekpotiuk

What's empathy?

the action of understanding, being aware of, being sensitive to, and vicariously experiencing the feelings, thoughts, and experience of another of either the past or present without having the feelings, thoughts, and experience fully communicated in an objectively explicit manner

also: the capacity for this

Why we have to talk about it?

- Some people are more naturally empathetic than others
- Empathy can be taught [1]
- Exercing your empathy helps
- You took/courses in programming, right?
- When is the last time you took empathy course?

[1] https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5513638/

Why empathy is important

- Might be helpful with fighting systemic bias and racism
- Might help with building better relationships
- Empathy motivates to do prosocial behaviours
 - forgiveness
 - volunteering
 - helping
- People who are empathetic are more likely to achieve success

What are the downsides of empathy?

- Empathy might be literally painful
- Empathy might be biased

•

[2] https://www.scientificamerican.com/article/the-good-and-bad-of-empathy/

Apache Airflow community

000

Who "we" are?








Contributor



User

What's the journey?



This talk is not about



"Growing your contributors base" Wednesday



Airflow S Summit 2020



Join from anywhere. https://airflowsummit.org

Adding An Executor to Airflow: A Contributor Overflow Exception










Adding An Executor to Airflow: A Contributor Overflow Exception Vanessa Sochat Be like Elmo!

User and Maintainer



Committer

(Maintainer)






User

Hey maintainer

- Do you remember time when you were user?
- Did you know where to look in sources?
- Did you know by heart all the configuration values?
- Did you know that someone already discussed it in Issue/devlist/discussion?
- Is it REALLY described in the documentation?
- Is it OK to not know how Airflow works?
- Is this OK that the user does not know Python well?

Apache Airflow Pulse



Hey user - do you know that:

- our maintainer to user ratio is less than 2:1000?
- we have more than 10 merged PRs a day?
- there are PR with more than 100 comments?
- there are about 80 100 messages generated a day from airflow repo activity?
- maintainers are not paid to help with troubleshooting?
- there are SEARCHABLE(!) docs/issues/discussions/stack overflow?

What does it mean to be an empathetic maintainer?

You know nothing

And now you can remove all the specific copy operators like S3ToSFTP, AzureBlobbToGCS ... Or, if they don't exist you don't need to implement them anymore!


What do you think @turbaszek? I don't know how the Core development is organized (I know there's a Jira and a mailing list but know nothing of the organization processes) This will be a core change. But if Airflow aims to thrive, it's necessary (IMHO)






Direct the users


Apache Airflow version 2.1.1 What happened When I am API calling for users with limit 1000, it returns only 500 requests. How or where can I increase limit more then 500 requests? Looks like by default airflow API returns max 500 requests. I am running following command but always return 500 requests: https://airflow_url/api/v1/users?limit=1000



Direct the users




Check your assumptions




Communicate via code

```
252
               >&2 echo "WARNING! You should run the image with GID (Group ID) set to 0"
253
               >&2 echo "
                                   even if you use 'airflow' user (UID=50000)"
254
               >&2 echo
255
               >&2 echs " You started the image with UID=$(id -u) and GID=$(id -q)"
256
               >&2 echo
257
               > \&2 echo " This is to make sure you can run the image with an arbitrary UID in the future. ``
258
               >&2 echo
               >52 echo " See more about it in the Airflow's docker image documentation"
259
260
               >&2 echo "
                              http://airflow.apache.org/docs/docker-stack/entrypoint"
261
               >02 acho
               # We still allow the image to run with `airflow` user.
262
263
               return
```

Invite the users to contribute



Invite the users to contribute




Empathy and assertiveness




In order to be able to help others, you must help yourself first.


Set the boundaries



- You cut yourself from help of others
- You demand exclusive attention for free
- You don't let others learn from help you might get

Read The Friendly Manual





Don't ask to ask

https://dontasktoask.com/

Don't ask to ask, just ask


Every now and then, in online chat rooms I hang around in, someone pops in and says something in the lines of,

Foobar123: Any Java experts around?

This is bad form, for several reasons. What the person is actually asking here is,


- You ask for too much responsibility
- Laziness
- So, to summarize, don't ask "Any Java experts around?", but rather ask "How do I do [problem] with Java and [other relevant info]?"

Use Github Discussions more






Using issues for questions




Help to help yourself

I am deploying airflow in Kubernetes with this chart: https://github.com/apache/airflow/tree/master/chart and I am using: AKS Kubernetes version: 1.16.13 • PostgreSQL hosted in Azure Database for PostgreSQL version: 10 If I use the PostgreSQL uatabase sub chart it works periectly. I modify the values.yml to connect to the external PostgreSQL database: # If secret names are provided, use those secrets metadataSecretName: ~ resultBackendSecretName: ~ # Otherwise pass connection values in metadataConnection: user: <Myuser> pass: <Mypass> host: <server> port: 5432 db: airflow sslmode: disable resultBackendConnection: user: <Myuser> pass: <Mypass> port: 5432 db: airflow sslmode: disable When I deploy it the scheduler and webserver pods fail. I have checked the connection string and using it manually works fine


Add value



Knowing better



Community is not a helpdesk





Thank you!

Q&A

•••